

AIR PRODUCTS

NGP-2200 Nitrogen Generators

General Air Products Nitrogen Generators are specifically designed to provide on-site, high purity nitrogen for use in dry and pre-action fire sprinkler systems. Utilizing a simple, turn-key design ready to be connected to a new or existing fire sprinkler system. Each Nitrogen Generator includes an integrated fire protection air compressor specifically designed to fill the sprinkler system to supervisory pressure within 30 minutes per NFPA 13. General Air Products Nitrogen Generators provide a reliable and efficient method of producing a minimum of 98% nitrogen at the point of usage which will inhibit corrosion and improve the life of the sprinkler system.



- Turn-key Design for Easy Installation
- Premium Nitrogen Membrane Technology
- 98%+ Nitrogen Purity Standard
- Bypass & Leak Detection Alarms
- Contacts for Tie-in to Building Monitoring System
- Lifetime Customer Service & Technical Support
- PLC Controller for Data Recording & Simplified Operation

Included With Every NGP-Series Nitrogen Generator:



Fire Protection Air Compressor



Portable N2 Analyzer



30" Stainless Steel Flex Hose



Vibration Isolation Pads

Maintenance Capacity (gal) @ 40 PSI	Model Number	Fill Capacity (gal)		Compressor		Electrical Specifications				N2 Tank	Air Tank	Unit Weight (lbs)		
		@ 40 PSI	@ 20 PSI	Туре	НР	Hz	Phase	Volts	Amps	(gal)	(gal)	Cabinet	Comp.	N2 Tank
6500	NGP-2200D-M3-2B	2350	4600	Lubricated	7.5	60	Three	208	20	30	80	200	500	125
6500	NGP-2200D-M3-3B	2350	4600	Lubricated	7.5	60	Three	230	18.6	30	80	200	500	125
6500	NGP-2200D-M3-4B	2350	4600	Lubricated	7.5	60	Three	460	9.3	30	80	200	500	125
13000	NGP-2200D-M4-2B	2350	4600	Lubricated	7.5	60	Three	208	20	80	80	200	500	200
13000	NGP-2200D-M4-3B	2350	4600	Lubricated	7.5	60	Three	230	18.6	80	80	200	500	200
13000	NGP-2200D-M4-4B	2350	4600	Lubricated	7.5	60	Three	460	9.3	80	80	200	500	200
22000	NGP-2200D-M5-2B	2350	4600	Lubricated	7.5	60	Three	208	20	80	80	250	500	200
22000	NGP-2200D-M5-3B	2350	4600	Lubricated	7.5	60	Three	230	18.6	80	80	250	500	200
22000	NGP-2200D-M5-4B	2350	4600	Lubricated	7.5	60	Three	460	9.3	80	80	250	500	200

MARNING: Cancer and Reproductive Harm - www.p65warnings.ca.gov

Nitrogen Generator System Accessories:



Air Maintenance Device (AMD-1)

Required to regulate the volume of air being delivered to the sprinkler system. General Air Products Air Maintenance Devices are UL listed & FM approved.



Purge Vent / Sampling Port (NGP-PV-1)

Provides a simple and reliable way to purge oxygen from the sprinkler system during the nitrogen fill process and monitor the nitrogen purity throughout the entire fire sprinkler system.







NGP-2200 Nitrogen Generators

for Dry Pipe & Pre-Action Fire Sprinkler Systems

NGP-2200 Nitrogen Generator Cabinet Details









NGP-2200 Nitrogen Generators

for Dry Pipe & Pre-Action Fire Sprinkler Systems

Compressor Details N2 Storage Tank Details 30 Gallon Tank ASME SAFETY RELIEF VALVE 1/4" COMPRESSION FITTING CONNECT TO PS-2 PRESSURE SWITCH ON CABINET. 30 GALLON NITROGEN STORAGE TANK -1/4" COMPRESSION FITTING. CONNECT TO AIR TANK DRAIN SOLENOID INLET ON BACK OF NITROGEN GENERATOR CABINET. 4" FNPT BALL VALVE MANUAL DRAIN VALVE 9/16" X 7/8" MOUNTING SLOTS LOCATED 90° APART ON A ∅ 15" BOLT CIRCLE PATTERN 4 PLCS OIL DRAIN ASME SAFETY RELIEF VALVE 80 Gallon Tank ASME RELIEF VALVE 1/4" COMPRESSION FITTING CONNECT TO PS-2 PRESSURE SWITCH NITROGEN TANK ON CABINET. D 1/4" FNPT VENT 1/2" FNPT NITROGEN INLE CONNECT TO NITROGEN OUTLET 3/4" FNPT SYSTEM CONNECTION CONNECT TO AIR MAINTENANCE DEVICE ON CABINET. C -1/2" LIQUID TIGHT CONDUIT CONNECTION, CONNECT PS-1 CABLE FROM NITROGEN GENERATOR CABINET 80 GALLON NITROGEN STORAGE TANK 49 1/8 (4X) Ø9/16" X .88 ROUND END SLOTS MOUNTING HOLES