## INDUSTRIAL WATER CHILLER





## Features / Benefits

- Eco-friendly R410a Refrigerant
- Digital Microprocessor Controller
- UL508a Electric Panel
- High Performance Scroll Compressors
- 40 psi Centrifugal Pump
- Steel Storage Tank
- Indoor/Outdoor Rated

## Options

- High Pressure Pump
- Stainless Steel Tank w/Non-ferrous Water Circuit
- Low Ambient Package for -4°F
- Open/Close Exposure Tank
- Remote Controller
- Condenser Coil Coating

Product Specifications				
CAPACITIES		020		
Cooling Capacity	ton	2.01		
Capacity based on 4	5°F water	outlet temp.; 10°F delta t @ 95°F ambient temperature		
BTU/hr		24,120		
Tank Volume	gal	16		
		·		

DIMENSIONS		020
Width	in	22
Depth	in	51
Height	in	32
Weight	lbs	467

ELECTRICAL	020
Volts	460
Phase	3
Hertz	60
FLA	8

MISC SPECS		020	
Refrigerant		R410a	
ProtectionClass		IP 54	
Water Flow (min/max)	gpm	2.1/ 21.2	
# of Fans		1	
Total air flow	cfm	2413	
<b>Connection Size</b>	npt	3/4"	